Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. S. Bretscher
C. R. Cantor
P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 141

25 July to 25 August 1980



ACADEMIC PRESS
London New York San Francisco

Copyright © 1980, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 141

Number 1, 25 July 1980

Müller, U. R. and Wells, R. D., Intercistronic Regions in ϕX174 DNA. I. Construction of Mutants with Altered Intercistronic Regions between Genes *J* and *F* 1

Müller, U. R. and Wells, R. D., Intercistronic Regions in ϕX174 DNA. II. Biochemical and Biological Analysis of Mutants with Altered Intercistronic Regions between Genes *J* and *F* 25

Appendix 41

Franks, N. P. and Lieb, W. R., Rapid Movement of Molecules Across Membranes: Measurement of the Permeability Coefficient of Water using Neutron Diffraction 43

Emr, S. D. and Silhavy, T. J., Mutations Affecting Localization of an *Escherichia coli* Outer Membrane Protein, the Bacteriophage λ Receptor 63

Letter to the Editor

Travers, A. A., A $tRNA^{Tyr}$ Promoter with an Altered *in vitro* Response to ppGpp 91

Number 2, 5 August 1980

Palatnik, C. M., Storti, R. V., Capone, A. K. and Jacobson, A., Messenger RNA Stability in *Dictyostelium discoideum*: Does Poly(A) Have a Regulatory Role? 99

Hoffmann, W., Sarzala, M. G., Gomez-Fernandez, J. C., Goni, F. M., Restall, C. J., Chapman, D., Heppeler, G. and Kreutz, W. Protein Rotational Diffusion and Lipid Structure of Reconstituted Systems of Ca^{2+}-Activated Adenosine Triphosphatase 119

Rosenthal, A. L. and Lacks, S. A., Complex Structure of the Membrane Nuclease of *Streptococcus pneumoniae* Revealed by Two-dimensional Electrophoresis 133

Knapek, E. and Dubochet, J., Beam Damage to Organic Material is Considerably Reduced in Cryo-electron Microscopy 147

Childs, J. D., Effect of hoc Protein on the Electrophoretic Mobility of Intact Bacteriophage T4D Particles in Polyacrylamide Gel Electrophoresis . 163

YAMAGUCHI, Y. and YANAGIDA, M., Head Shell Protein hoc Alters the Surface Charge of Bacteriophage T4: Composite Slab Gel Electrophoresis of Phage T4 and Related Particles 175

WALDER, J. A., WALDER, R. Y. and ARNONE, A., Development of Antisickling Compounds that Chemically Modify Hemoglobin S Specifically within the 2,3-Diphosphoglycerate Binding Site 195

LETTERS TO THE EDITOR

NAGANO, K., MIYAMOTO, S., MATSUMURA, M. and OHTSUKI, I., Possible Formation of a Triple-stranded Coiled-coil Region in Tropomyosin–Troponin T Binding Complex 217

MILLER, T. L., COOK, R. M., NELSON, D. J. and THEOHARIDES, A. D., Terbium Luminescence from the Calcium Binding Sites of Parvalbumin . 223

LIM, L. W. and KENNELL, D., Evidence for Random Endonucleolytic Cleavages Between Messages in Decay of *Escherichia coli trp* mRNA 227

NUMBER 3, 15 AUGUST 1980

GUARENTE, L. P., ISBERG, R. R., SYVANEN, M. and SILHAVY, T. J., Conferral of Transposable Properties to a Chromosomal Gene in *Escherichia coli* . 235

CARLSON, D. P. and RASKAS, H. J., Structure and Metabolism of Adenovirus RNAs Containing Sequences from the Fiber Gene 249

WRIGHT, C. S., Crystallographic Elucidation of the Saccharide Binding Mode in Wheat Germ Agglutinin and its Biological Significance 267

HOFMANN, H., FIETZEK, P. P. and KÜHN, K., Comparative Analysis of the Sequences of the Three Collagen Chains α1(I), α2 and α1(III). Functional and Genetic Aspects 293

LETTERS TO THE EDITOR

TRINICK, J. and COOPER, J., Sequential Disassembly of Vertebrate Muscle Thick Filaments 315

REES, D. C., Experimental Evaluation of the Effective Dielectric Constant of Proteins 323

MUNOWITZ, M. G., DOBSON, C. M., GRIFFIN, R. G. and HARRISON, S. C., On the Rigidity of RNA in Tomato Bushy Stunt Virus 327

NEWMAN, C. N. and KUBITSCHEK, H. E., Evidence for *recA*-mediated Asymmetric Strand Repair of 5-Iodo-[^{125}I]-2′-deoxyuridine-induced Lethal Lesions in *Escherichia coli* 335

ERRATUM 341

NUMBER 4, 25 AUGUST 1980

STRUHL, K. and DAVIS, R. W., Conservation and DNA Sequence Arrangement of the DNA Polymerase I Gene Region from *Klebsiella aerogenes*, *Klebsiella pneumoniae* and *Escherichia coli* 343

MARQUART, M., DEISENHOFER, J., HUBER, R. and PALM, W., Crystallographic Refinement and Atomic Models of the Intact Immunoglobin Molecule Kol and its Antigen-binding Fragment at 3·0 Å and 1·9 Å Resolution . . 369

GIORGINIS, S. and SUBRAMANIAN, A. R., The Major Ribosome Binding Site of *Escherichia coli* Ribosomal Protein S1 is Located in its N-terminal Segment 393

LUTHER, P. K. and SQUIRE, J. M., Three-dimensional Structure of the Vertebrate Muscle A-band. II. The Myosin Filament Superlattice 409

BAKER, E. N., Structure of Actinidin, after Refinement at 1·7 Å Resolution. 441

MIZUUCHI, K., GELLERT, M., WEISBERG, R. A. and NASH, H. A., Catenation and Supercoiling in the Products of Bacteriophage λ Integrative Recombination *in Vitro* 485

ANNOUNCEMENT 495

Index to Volume 141

A-band of vertebrate muscle, three-dimensional structure: the myosin filament superlattice, 409
Actinidin, structure after refinement at 1·7 Å resolution, 441
Adenosine triphosphatase, Ca^{2+}-activated, protein rotational diffusion and lipid structure of reconstituted systems, 119
Adenovirus RNAs containing sequences from the fiber gene, structure and metabolism, 249
Agglutinin, wheat germ, crystallographic elucidation of the saccharide binding mode and its biological significance, 267
Antisickling compounds that chemically modify hemoglobin S specifically within the 2,3-diphosphoglycerate binding site: their development, 195
ARNONE, A. (see also WALDER, J. A.), 195
Atomic models and crystallographic refinement of the intact immunoglobulin molecule Kol and its antigen-binding fragment at 3·0 Å and 1·9 Å resolution, 369

Bacteriophage λ, catenation and supercoiling in the products of integrative recombination *in vitro*, 485
— λ receptor, mutations affecting localization of an *Escherichia coli* outer membrane protein, 63
— φX174 DNA intercistronic regions: biochemical and biological analysis of mutants with altered intercistronic regions between genes *J* and *F*, 25
— — — — — construction of mutants with altered intercistronic regions between genes *J* and *F*, 1
— T4, head shell protein hoc alters the surface charge; composite slab gel electrophoresis of phage T4 and related particles, 175
— T4D particles, intact, effect of hoc protein on the electrophoretic mobility in polyacrylamide gel electrophoresis, 163
BAKER, E. N., Structure of actinidin, after refinement at 1·7 Å resolution, 441
Beam damage to organic material is considerably reduced in cryo-electron microscopy, 147
Binding mode, saccharide, in wheat germ agglutinin, crystallographic elucidation and biological significance, 267
— site, ribosome, major, of *Escherichia coli* ribosomal protein S1 is located in its N-terminal segment, 393

Ca^{2+}-activated adenosine triphosphatase, protein rotational diffusion and lipid structure of reconstituted systems, 119
Calcium binding sites of parvalbumin, and terbium luminescence, 223
CAPONE, A. K. (see also PALATNIK, C. M.), 99
CARLSON, D. P. & RASKAS, H. J., Structure and metabolism of adenovirus RNAs containing sequences from the fiber gene, 249
Catenation and supercoiling in the products of bacteriophage λ integrative recombination *in vitro*, 485
CHAPMAN, D. (see also HOFFMANN, W.), 119
Charge, surface, of bacteriophage T4 is altered by head shell protein hoc; composite slab gel electrophoresis of phage T4 and related particles, 175
CHILDS, J. D., Effect of hoc protein on the electrophoretic mobility of intact bacteriophage T4D particles in polyacrylamide gel electrophoresis, 163
Chromosomal gene in *Escherichia coli*, conferral to it of transposable properties, 235
Cleavages, random endonucleolytic, between messages in decay of *Escherichia coli trp* mRNA, 227
Coiled-coil region, triple-stranded, possible formation in tropomyosin–troponin T binding complex, 217
Collagen chains α1(I), α2 and α1(III), comparative analysis of their sequences; functional and genetic aspects, 293
COOK, R. M. (see also MILLER, T. L.), 223
COOPER, J. (see also TRINICK, J.), 315
Cryo-electron microscopy considerably reduces beam damage to organic material, 147
Crystallographic elucidation of the saccharide binding mode in wheat germ agglutinin and its biological significance, 267
— refinement and atomic models of the intact immunoglobulin molecule Kol and its antigen-binding fragment at 3·0 Å and 1·9 Å resolution, 369

DAVIS, R. W. (see also STRUHL, K.), 343
Decay of *Escherichia coli trp* mRNA, evidence for random endonucleolytic cleavages between messages, 227
DEISENHOFER, J. (see also MARQUART, M.), 369

DNA, ϕX174, intercistronic regions: biochemical and biological analysis of mutants with altered intercistronic regions between genes *J* and *F*, 25
—, —, — —: construction of mutants with altered intercistronic regions between genes *J* and *F*, 1
— polymerase I gene region from *Klebsiella aerogenes*, *Klebsiella pneumoniae* and *Escherichia coli*, conservation and DNA sequence arrangements, 343
Dictyostelium discoideum, does poly(A) have a regulatory role in mRNA stability?, 99
Dielectric constant, effective, experimental evaluation for proteins, 323
2,3-Diphosphoglycerate, development of antisickling compounds that chemically modify hemoglobin S specifically within the binding site, 195
Disassembly, sequential, of vertebrate muscle thick filaments, 315
DOBSON, C. M. (see also MUNOWITZ, M. G.), 327
DUBOCHET, J. (see also KNAPEK, E.), 147

Electron microscopy (see also Cryo-electron microscopy), 147
Electrophoresis, composite slab gel, of phage T4 and related particles; head shell protein hoc alters the surface charge of phage T4, 175
—, two-dimensional, reveals complex structure of the membrane nuclease of *Streptococcus pneumoniae*, 133
Electrophoretic mobility of intact bacteriophage T4D particles in polyacrylamide gel electrophoresis, effect of hoc protein, 163
EMR, S. D. & SILHAVY, T. J., Mutations affecting localization of an *Escherichia coli* outer membrane protein, the bacteriophage λ receptor, 63
Endonucleolytic cleavages, random, between messages in decay of *Escherichia coli trp* mRNA, 227
Escherichia coli, conferral of transposable properties to a chromosomal gene, 235
— —, evidence for *recA*-mediated asymmetric strand repair of 5-iodo-[^{125}I]-2′-deoxyuridine-induced lethal lesions, 335
— —, *Klebsiella aerogenes* and *Klebsiella pneumoniae*, conservation and DNA sequence arrangement of the DNA polymerase I gene region, 343
— — outer membrane protein, the bacteriophage λ receptor, mutations affecting its localization, 63
— — ribosomal protein 51, the major ribosome binding site is located in its N-terminal segment, 393
— — *trp* mRNA decay, evidence for random endonucleolytic cleavages between messages, 227

Fiber gene sequences, structure and metabolism of adenovirus RNAs in which they are contained, 249
FIETZEK, P. P. (see also HOFMANN, H.), 293
Filament superlattice of myosin; three-dimensional structure of the vertebrate muscle A-band, 409
Filaments, thick, of vertebrate muscle: sequential disassembly, 315
FRANKS, N. P. & LIEB, W. R., Rapid movement of molecules across membranes: measurement of the permeability coefficient of water using neutron diffraction, 43

GELLERT, M. (see also MIZUUCHI, K.), 485
Gene, chromosomal, in *Escherichia coli*, conferral to it of transposable properties, 235
—, fiber, sequences, structure and metabolism of adenovirus RNAs in which they are contained, 249
— region, DNA polymerase I, from *Klebsiella aerogenes*, *Klebsiella pneumoniae* and *Escherichia coli*, conservation and DNA sequence arrangement, 343
Genes *J* and *F*, biochemical and biological analysis of mutants with altered intercistronic regions between them; intercistronic regions in ϕX174 DNA, 25
— — — —, construction of mutants with altered intercistronic regions between them; intercistronic regions in ϕX174 DNA, 1
Genetic and functional aspects of a comparative analysis of the sequences of the three collagen chains α1(I), α2 and α1(III), 293
GIORGINIS, S. & SUBRAMANIAN, A. R., The major ribosome binding site of *Escherichia coli* ribosomal protein S1 is located in its N-terminal segment, 393
GOMEZ-FERNANDEZ, J. C. (see also HOFFMANN, W.), 119
GONI, F. M. (see also HOFFMANN, W.), 119
GRIFFIN, R. G. (see also MUNOWITZ, M. G.), 327
GUARENTE, L. P., ISBERG, R. R., SYVANEN, M. & SILHAVY, T. J., Conferral of transposable properties to a chromosomal gene in *Escherichia coli*, 235

HARRISON, S. C. (see also MUNOWITZ, M. G.), 327
Head shell protein hoc alters the surface charge of bacteriophage T4; composite slab gel electrophoresis of phage T4 and related particles, 175

Hemoglobin S, chemical modification by antisickling compounds specifically within the 2,3-diphosphoglycerate binding site, 195
HEPPELER, G. (see also HOFFMANN, W.), 119
hoc protein, effect on the electrophoretic mobility of intact bacteriophage T4D particles in polyacrylamide gel electrophoresis, 163
——, head shell, alters the surface charge of bacteriophage T4; composite slab gel electrophoresis of phage T4 and related particles, 175
HOFFMANN, W., SARZALA, M. G., GOMEZ-FERNANDEZ, J. C., GONI, F. M., RESTALL, C. J., CHAPMAN, D., HEPPELER, G. & KREUTZ, W., Protein rotational diffusion and lipid structure of reconstituted systems of Ca^{2+}-activated adenosine triphosphatase, 119
HOFMANN, H., FIETZEK, P. P. & KÜHN, K., Comparative analysis of the sequences of the three collagen chains α1(I), α2 and α1(III). Functional and genetic aspects, 293
HUBER, R. (see also MARQUART, M.), 369

Immunoglobulin molecule Kol, intact, and its antigen-binding fragment, crystallographic refinement and atomic models at 3·0 Å and 1·9 Å resolution, 369
Intercistronic regions in φX174 DNA. I. Construction of mutants with altered intercistronic regions between genes *J* and *F*, 1
— regions in φX174 DNA. II. Biochemical and biological analysis of mutants with altered intercistronic regions between genes *J* and *F*, 25
5-Iodo-[^{125}I]-2′-deoxyuridine-induced lethal lesions in *Escherichia coli*, evidence for *recA*-mediated asymmetric strand repair, 335
ISBERG, R. R. (see also GUARENTE, L. P.), 235

JACOBSON, A. (see also PALATNIK, C. M.), 99

KENNELL, D. (see also LIM, L. W.), 227
Klebsiella aerogenes, *Klebsiella pneumoniae* and *Escherichia coli*, conservation and DNA sequence arrangement of the DNA polymerase I gene region, 343
— *pneumoniae* (see also previous entry), 343
KNAPEK, E. & DUBOCHET, J., Beam damage to organic material is considerably reduced in cryo-electron microscopy, 147
Kol, immunoglobulin molecule, intact, and its antigen-binding fragment, crystallographic refinement and atomic models at 1·9 Å and 3·0 Å resolution, 369
KREUTZ, W. (see also HOFFMANN, W.), 119
KUBITSCHEK, H. E. (see also NEWMAN, C. N.), 335
KÜHN, K. (see also HOFMANN, H.), 293

λ (see also Bacteriophage), 63, 485
LACKS, S. A. (see also ROSENTHAL, A. L.), 133
Lesions, lethal, 5-iodo-[^{125}I]-2′-deoxyuridine-induced, in *Escherichia coli*, evidence for *recA*-mediated asymmetric strand repair, 335
LIEB, W. R. (see also FRANKS, N. P.), 43
LIM, L. W. & KENNELL, D., Evidence for random endonucleolytic cleavages between messages in decay of *Escherichia coli trp* mRNA, 227
Lipid structure and protein rotational diffusion of reconstituted systems of Ca^{2+}-activated adenosine triphosphatase, 119
Luminescence, terbium, from the calcium binding sites of parvalbumin, 223
LUTHER, P. K. & SQUIRE, J. M., Three-dimensional structure of the vertebrate muscle A-band. II. The myosin filament superlattice, 409

MARQUART, M., DEISENHOFER, J., HUBER, R. & PALM, W., Crystallographic refinement and atomic models of the intact immunoglobin molecule Kol and its antigen-binding fragment at 3·0 Å and 1·9 Å resolution, 369
MATSUMURA, M. (see also NAGANO, K.), 217
Membrane nuclease of *Streptococcus pneumoniae*, complex structure revealed by two-dimensional electrophoresis, 133
—, outer, protein of *Escherichia coli*, the bacteriophage λ receptor, mutations affecting its localization, 63
— permeability coefficient of water, measurement using neutron diffraction; rapid movement of molecules across membranes, 43

Messenger RNA, *Escherichia coli trp*, decay, evidence for random endonucleolytic cleavages between messages, 227
—— stability in *Dictyostelium discoideum*. Does poly(A) have a regulatory role?, 99
Metabolism and structure of adenovirus RNAs containing sequences from the fiber gene, 249
MILLER, T. L., COOK, R. M., NELSON, D. J. & THEOHARIDES, A. D., Terbium luminescence from the calcium binding sites of parvalbumin, 223
MIYAMOTO, S. (see also NAGANO, K.), 217
MIZUUCHI, K., GELLERT, M., WEISBERG, R. A. & NASH, H. A., Catenation and supercoiling in the products of bacteriophage λ integrative recombination *in vitro*, 485
Molecules, rapid movement across membranes: measurement of the permeability coefficient of water using neutron diffraction, 43
MÜLLER, U. R. & WELLS, R. D., Intercistronic regions in φX174 DNA. I. Construction of mutants with altered intercistronic regions between genes *J* and *F*, 1
—, ——, —— —— II. Biochemical and biological analysis of mutants with altered intercistronic regions between genes *J* and *F*, 25
MUNOWITZ, M. G., DOBSON, C. M., GRIFFIN, R. G. & HARRISON, S. C., On the rigidity of RNA in tomato bushy stunt virus, 327
Muscle A-band, vertebrate, three-dimensional structure: the myosin filament superlattice, 409
—, vertebrate, sequential disassembly of thick filaments, 315
Mutants with altered intercistronic regions between genes *J* and *F* in φX174 DNA, biochemical and biological analysis, 25
——————————, construction, 1
Mutations affecting localization of an *Escherichia coli* outer membrane protein, the bacteriophage λ receptor, 63
Myosin filament superlattice; three-dimensional structure of the vertebrate muscle A-band, 409

NAGANO, K., MIYAMOTO, S., MATSUMURA, M. & OHTSUKI, I., Possible formation of a triple-stranded coiled-coil region in tropomyosin–troponin T binding complex, 217
NASH, H. A. (see also MIZUUCHI, K.), 485
NELSON, D. J. (see also MILLER, T. L.), 223
Neutron diffraction measurements of permeability coefficient of water; rapid movement of molecules across membranes, 43
NEWMAN, C. N. & KUBITSCHEK, H. E., Evidence for *recA*-mediated asymmetric strand repair of 5-iodo-[^{125}I]-2′-deoxyuridine-induced lethal lesions in *Escherichia coli*, 335
Nuclease, membrane, of *Streptococcus pneumoniae*, complex structure revealed by two-dimensional electrophoresis, 133

OHTSUKI, I. (see also NAGANO, K.), 217
Organic material, beam damage is considerably reduced in cryo-electron microscopy, 147

φX174 (see also Bacteriophage), 1, 25
PALATNIK, C. M., STORTI, R. V., CAPONE, A. K. & JACOBSON, A., Messenger RNA stability in *Dictyostelium discoideum*: does poly(A) have a regulatory role?, 99
PALM, W. (see also MARQUART, M.), 369
Parvalbumin, terbium luminescence from the calcium binding sites, 223
Permeability coefficient of water, measurement using neutron diffraction; rapid movement of molecules across membranes, 43
Poly(A), does it have a regulatory role in mRNA stability in *Dictyostelium discoideum*?, 99
Polyacrylamide gel electrophoresis, effect of hoc protein on the electrophoretic mobility of intact bacteriophage T4D particles, 163
ppGpp, a $tRNA^{Tyr}$ promoter with an altered *in vitro* response, 91
Promoter, $tRNA^{Tyr}$, with an altered *in vitro* response to ppGpp, 91
Protein, *Escherichia coli* outer membrane, the bacteriophage λ receptor, mutations affecting its localization, 63
—, hoc, effect on the electrophoretic mobility of intact bacteriophage T4D particles in polyacrylamide gel electrophoresis, 163
——, head shell, alters the surface charge of bacteriophage T4; composite slab gel electrophoresis of phage T4 and related particles, 175
— rotational diffusion and lipid structure of reconstituted systems of Ca^{2+}-activated adenosine triphosphatase, 119
—S1, ribosomal, *Escherichia coli*, the major ribosome binding site is located in its N-terminal segment, 393
Proteins, experimental evaluation of the effective dielectric constant, 323

Random endonucleolytic cleavages between messages in decay of *Escherichia coli trp* mRNA, 227
RASKAS, H. J. (see also CARLSON, D. P.), 249
recA-mediated asymmetric strand repair of 5-iodo-[^{125}I]-2′-deoxyuridine-induced lethal lesions in *Escherichia coli*, 335
Recombination, integrative, *in vitro*, catenation and supercoiling in the products of bacteriophage λ, 485
REES, D. C., Experimental evaluation of the effective dialectric constant of proteins, 323
Repair, *recA*-mediated asymmetric strand, of 5-iodo-[^{125}I]-2′-deoxyuridine-induced lethal lesions in *Escherichia coli*, 335
RESTALL, C. J. (see also HOFFMANN, W.), 119
RNA rigidity in tomato bushy stunt virus, 327
RNAs, adenovirus, containing sequences from the fiber gene, structure and metabolism, 249
Ribosome binding site, major, of *Escherichia coli* ribosomal protein S1 is located in its N-terminal segment, 393
Rigidity of RNA in tomato bushy stunt virus, 327
ROSENTHAL, A. L. & LACKS, S. A., Complex structure of the membrane nuclease of *Streptococcus pneumoniae* revealed by two-dimensional electrophoresis, 133
Rotational diffusion, protein, and lipid structure of reconstituted systems of Ca^{2+}-activated adenosine triphosphatase, 119

S1 protein, ribosomal, *Escherichia coli*, the major ribosome binding site is located in its N-terminal segment, 393
Saccharide binding mode in wheat germ agglutinin, crystallographic elucidation and its biological significance, 267
SARZALA, M. G. (see also HOFFMANN, W.), 119
Sequence arrangement and conservation of the DNA polymerase I gene region from *Klebsiella aerogenes*, *Klebsiella pneumoniae* and *Escherichia coli*, 343
Sequences of the three collagen chains α1(I), α2 and α1(III), comparative analysis; functional and genetic aspects, 293
Sequential disassembly of vertebrate muscle thick filaments, 315
SILHAVY, T. J. (see also EMR, S. D.), 63
—, — — (see also GUARANTE, L. P.), 235
SQUIRE, J. M. (see also LUTHER, P. K.), 409
STORTI, R. V. (see also PALATNIK, C. M.), 99
Streptococcus pneumoniae, complex structure of the membrane nuclease revealed by two-dimensional electrophoresis, 133
Structure of actinidin, after refinement at 1·7 Å resolution, 441
—, complex, of the membrane nuclease of *Streptococcus pneumoniae* revealed by two-dimensional electrophoresis, 133
—, lipid, and protein rotational diffusion of reconstituted systems of Ca^{2+}-activated adenosine triphosphatase, 119
— and metabolism of adenovirus RNAs containing sequences from the fiber gene, 249
—, three-dimensional, of the vertebrate muscle A-band. II. The myosin filament superlattice, 409
STRUHL, K. & DAVIS, R. W., Conservation and DNA sequence arrangement of the DNA polymerase I gene region from *Klebsiella aerogenes*, *Klebsiella pneumoniae* and *Escherichia coli*, 343
SUBRAMANIAN, A. R. (see also GIORGINIS, S.), 393
Supercoiling and catenation in the products of bacteriophage λ integrative recombination *in vitro*, 485
Superlattice of myosin filaments; three-dimensional structure of the vertebrate muscle A-band, 409
SYVANEN, M. (see also GUARENTE, L. P.), 235

T4 (see also Bacteriophage), 175
T4D (see also Bacteriophage), 163
Terbium luminescence from the calcium binding sites of parvalbumin, 223
THEOHARIDES, A. D. (see also MILLER, T. L.), 223
Tomato bushy stunt virus, on the rigidity of RNA, 327
Transfer RNA^{Tyr} promoter with an altered *in vitro* response to ppGpp, 91
Transposable properties, conferral to a chromosomal gene in *Escherichia coli*, 235
TRAVERS, A. A., A tRNA^{Tyr} promoter with an altered *in vitro* response to ppGpp, 91
TRINICK, J. & COOPER, J., Sequential disassembly of vertebrate muscle thick filaments, 315
Triple-stranded coiled-coil region, possible formation in tropomyosin–troponin T binding complex, 217
Tropomyosin–troponin T binding complex, possible formation of a triple-stranded coiled-coil region, 217

Vertebrate muscle A-band three-dimensional structure: the myosin filament superlattice, 409
— —, sequential disassembly of thick filaments, 315
Virus, tomato bushy stunt, on the rigidity of RNA, 327

WALDER, J. A., WALDER, R. Y. & ARNONE, A., Development of antisickling compounds that chemically modify hemoglobin S specifically within the 2,3-diphosphoglycerate binding site, 195
—, R. Y. (see also WALDER, J. A.), 195
Water permeability coefficient, measurement using neutron diffraction; rapid movement of molecules across membranes, 43
WEISBERG, R. A. (see also MIZUUCHI, K.), 485
WELLS, D. (see also MÜLLER, U. R.), 1, 25
Wheat germ agglutinin, crystallographic elucidation of the saccharide binding mode and its biological significance, 267
WRIGHT, C. S., Crystallographic elucidation of the saccharide binding mode in wheat germ agglutinin and its biological significance, 267

YAMAGUCHI, Y. & YANAGIDA, M., Head shell protein hoc alters the surface charge of bacteriphage T4: composite slab gel electrophoresis of phage T4 and related particles, 175
YANAGIDA, M. (see also YAMAGUCHI, Y.), 175